



X MARKS THE SPOT WHERE IT ALL COMES TOGETHER.

SUPPORTED DEVICES

NAV PC=Navigator RIP on PC NAV MAC=Navigator RIP on MAC OS-X XN=Xenith RIP on PC RB=Raster Blaster

MANUFACTURER	OUTPUT DEVICES	Nav PC	Nav Mac Power PC	Nav Mac Intel	Xenith PC	RB	Plug-in Notes	Interface*
Agfa **	ProSet 9550, 9700, 9800, 9836; Accuset 800, 1000, 1200, 1400,1500; SelectSet 5000, 7000; Avantra 20, 25/E/S/XT, 30/E, 36, 44/E/S	•	•	•	•	•	No CG 9400 or Agfa 9600 support	USB
	ProSet 9400	•	•	•				PCI-Express
	Antares 1000, 1000XT, 1600XT	•			•	•		SCSI-5
	Avanxis 4 (available only through Agfa)	•			•	•		SCSI
	Avanxis 8 (available only through Agfa)	•			•	•		PIF, USB
	Acento (available only through Agfa)	•			•	•		PIF, USB
	Acento LF (available only through Agfa)	•			•	•		PIF, USB
Autologic	Phoenix 2000, 2250, Phoenix News	•	•	•	•	•		USB
	3850, 3850 Turbo, 3850 Aspen SST	•			•	•		PCI-U
BasysPrint	APS 6/84	•	•		•	•	ECRM Pelbox	PCI-U
	UV Setter	•	•		•	•		TIFF
Creo (Heidelberg) Trendsetter	3230, 3244 400 Quantum, 800 Quantum, 400, 800, VLF 4557, 5067, 5080, 5467, 5880 [Speed options are Standard (S), Fast (F), and Very Fast (V)]	•			•	•	Windows 2000 & XP Pro Only	SCSI (PCI card) & Serial Port or PCI Express Slot for included Serial Card
Cymbolic Sciences	Cymbolic Science PlateJet, PlateJet 8, NewsJet Series,	•			•	•		SCSI-5
ECRM	VR 30, 36, 36HS, 45, 45HS;VRL 36, 45; Pelbox 108, 108HS, 1030, 1045, 1045HS, 12xx series, 15xx series, 2030, 2530, 3000, 3030	•	•		•	•		USB
	Mako 108HT, 3600, 3650, 4600, 4650; Knockout 4550; Marlin 46, 63, 2500; Stingray 46, 52, 63	•			•	•		USB
Fuji**	Celix 2000/4000/8000	•			•	•		SCSI
	8200CTP	•			•	•		SCSI
	Sumo (a.k.a. Luxel F9000), Luxel F4080, Luxsetter 5600v	•			•	•	Requires Server OS	SCSI
	Javelin Luxel T9000 CTP (a.k.a. Javelin 8000), Dart (a.k.a. Luxel T-6000)	•			•	•	Screen PT-R8000	PCI-U
	PlateJet Series	•			•	•	CSI	SCSI-5
	FC series	•			•	•	Screen FT-R 5040, 5055	SCSI
Gretag	Luxel Vx 6000, Vx 9600, V-9600 CTP	•			•	•	Via Raster Blaster Extreme	SCSI
	Gretag PlateJet Emerald and Sapphire	•			•	•		SCSI
Heidelberg	Topsetter	•			•	•		SCSI
	Topsetter PF 102	•			•	•	Screen PT-R 8000	PIF, USB
	Primesetter	•			•	•	Screen PT-R 8600	PIF, USB
	QuickMaster DI, GTO-DI+	•			•	•	Speedway	PCI-5
HighWater	Cobra 2, Cobra 8, Python	•			•		+contact Xitron	
KBA	46Karat	•			•	•		
Kodak	DirectPress 5634 (see also Creo & Scitex)	•			•	•		
Linotype	300D, 500D, 300, 330, 500, 530, 560,	•			•	•		USB
	630, 830, 930	•	•		•	•	Via Pagebuffer	PCI-U
	Herkules, Herkules Basic, Elite, Herkules Pro, Quasar, 3020, 3030, Duo-Setter	•			•	•	Speedway not Taxi	PCI-5
Monotype PrePRESS (Alfaquest)	PantherPro, Ultara 36, Catara 46, Pantara 62 (see also PrePRESS)	•			•	•	See also PrePRESS	SCSI
	PantherPro, Pro/36 HS, Pro/46 HS, Pro/62 HS, PantherPlus/36, Plus/52	•			•	•	See also Monotype	SCSI
Presstek/Ryobi	Dimension 200, 400, 800, Heidelberg GTO-DI+, QuickMaster DI, Presstek 46DI, Presstek 52DI, Ryobi 3404 DI	•			•	•	Native file output +contact Xitron	Network

MANUFACTURER	OUTPUT DEVICES	Nav PC	Nav Mac Power PC	Nav/Mac Intel	Xitron PC	RB	Plug-in Notes	Interface*
Scitex (see Creo & Kodak)	Dolev 200/250, 400/450, (Type 1)	•	•		•	•		PCI-5
	800, 800V, 800V2, 2/Press, 4/Press, 4/PressV, 4/News (Type 2)	•			•	•		PCI-5
Screen	FT-R 3035, 3050	•			•	•		SCSI
	Katana 5040, 5055 (available with 2 different SCSI interfaces, high voltage differential requires 5-volt SCSI slot)	•			•	•		SCSI, PIF, USB
	DT-R1065, 2035, 2065, 3075, Tanto 6120 MT-R 1100	•			•	•		PIF, USB
	PlateRite (a.k.a. PT-R) 4000, 4100, 4300, 6600, 6600S, 8000, 8100 (a.k.a. 4000 Mk II), 8200 (Niagra), 8300, 8300S, 8600, 8600S, 8800 DT-R 3100, 6120, MT-R 1120, Tanto 5120 (a.k.a. DT-R5120) NEWS, NEWS2000	•			•	•		PIF, USB
TIFF file format	Screened Raster TIFF	•	•		•			
Ultre	4800	•						PCI-5*

***Interface Notes**

PCI-U indicates device is supported by Xitron Universal PCI card for 3.3/5 volt slots. PCI-5 indicates device requires a 5-volt PCI slot. SCSI-5 indicates 5-volt slot for SCSI required.

PIF option applies to newer units only. Be certain to confirm interface PRIOR to placing an order.

USB for CTP or film recorder refers to the Xitron USB interface for use with Navigator PC or Raster Blaster. Where available, USB will be supplied.

PCI Express is for Mac Intel only.

****TIFF CATCHERS**

Additional devices may be driven with TIFF Catchers provided by the output device manufacturer. TIFF Catchers are interfaces that send raster data to an output device. Some manufacturers providing TIFF catchers are listed below. Check with your manufacturer for availability. Not all TIFF catchers have been tested with Xitron products.

Manufacturer	Product Name
Agfa	Print Drive
Creo	Print Console
ECRM	CTServer
Escher-Grad	ImageSpool
Purup	Direct TIFF Expose
Presstek	DiTools (not required with Presstek Plugin)

Interfaces: PP=parallel port, N=Network, USB, FW=FireWire

MANUFACTURER	PROOFING DEVICES	Nav PC	Nav Mac Power PC	Nav/Mac Intel	Xitron PC	Plug-in Notes	Interface	
Canon	2200, 7200/7250	•	•	•		HQ Proofready	USB	
	imageProGraf 5100, 6100, 8100, 9100	•				Canon 12 color	Ethernet	
ENCAD	Novajet 500, 630, 700, 850, Pro-36, Pro-42e, Pro-50, Pro 60e	•		•		GI-RTL plug-in	PP	
Epson	Stylus Pro 3000, 5000	•	•	•		HQ ProofReady.	PP, N, USB	
	Stylus Pro 7000, 7500, 9000, 9500	•	•	•	•	Nav: HQ ProofReady.	PP, N, USB	
	Stylus Pro UltraChrome 7600, 9600, 10000, 10600	•		•	•	Nav: vDot UltraChrome only	PP, USB, N, FW	
	Stylus Photo UltraChrome 2100, 2200							
	Stylus Pro UltraChrome 7600, 9600, 10000 10600	•	•	•	•	Nav: HQ ProofReady	PP, USB, N, FW	
	Stylus Pro UltraChrome 4000	•		•	•	Nav: HQ ProofReady	PP, USB, N, FW	
	Stylus Pro Ultrachrome K3 2400	•		•		vDot-II only		
	Stylus Pro UltraChrome K3 4800/7800/9800	•	•	•	•	HQ: vDot-II (PC only) VSD PC & Mac		
	Stylus Pro UltraChrome K3 with Vivid Magenta 4880/7880/9880	•			•	vDot-3 (PC only)		
	Stylus Pro 5500	•		•		Nav: HQ ProofReady		
	Fuji	PictroProof, Pictrography 3000		5.5r1			Mac only	
		PictroProof II (requires Fuji PD System Pro – TIFF catcher)	•	•			TIFF Only	
Gerber	Impress 2000	•				HP 2000		
Hewlett Packard	DesignJet 50				•	Nav: HQ ProofReady		
	DesignJet 50PS (10, 20-based on 50PS)	•		•				
	DesignJet 1050, 1055, 2500, 3000, 3500, 5000, 5500	•	•	•	•	Nav: HQ ProofReady		
	DesignJet 750C, 800				•			
Mutoh	RJ-4000/4100, RJ-6100, Albatros PJ1304NX	•		•		GI-RTL plug-in	PP	
OmegaJet	52, 62	•		•		GI-RTL plug-in	PP	
Ricoh	4910, 6910	•		•		GI-RTL plug-in	PP	
Windows Printers	Virtually all printers with a Windows-based driver	•		•		Univ. Windows Printer		
B/W PCL Proofers	PCL compatible B/W laser printers (contact Xitron Sales for more information)	•		•		i.e. HP LaserJet 5000, 8000/8100	PP	

Contact your Xitron Dealer Manager to determine if a specific device not included on this list is supported by Xitron.

For the most up-to-date list of supported output devices please visit the Xitron website www.xitron.com

Note: Some products may not operate to the published specifications in some applications. Check with your Xitron Dealer for details.

August 7, 2008



YOUR BUSINESS. OUR DRIVE.